

References

- [1] International Commission on Non-Ionizing Radiation Protection. Review of the scientific evidence on dosimetry, biological effects, epidemiological observations and health consequences concerning exposure to high frequency electromagnetic fields (100 KHz to 300 GHz). Germany. ICNIRP 16/2009.
- [2] Tom Kosatsky, Abderrachid Zitouni, Mona Shum, Helen D.Ward, Richard P.Gallagher, Francine Anselmo, Randy Ross, Lisa Freeman, Joanna Oda, Sarah Lidstone, Lisa Miu, Michele Wiens, Maureen Phillips, and Terry Spock. Project - Radiofrequency Toolkit for Environmental Health Practitioners. Canada, 2013; ISBN: 978-1-926933-48-1. Page:269.
- [3] Federal Communications Commission Office of Engineering and Technology. Evaluating Compliance with FCC Guidelines for Human Exposure to Radiofrequency Electromagnetic Fields. OET Bulletin 65. Edition 97-01. August 1997: Page 5.
- [4] IEEE Standards Coordinating Committee 28 on Non-Ionizing Radiation Hazards. IEEE Standard for Safety Levels with Respect to Human Exposure to Radio Frequency Electromagnetic Fields, 3 KHz to 300GHz. New York, December 1998. ISBN 0-7381-1558-4 SS94717. Page: 29.
- [5] Lai H, Singh NP. Single and double strand DNA breaks in rat brain cells after acute exposure to radiofrequency electromagnetic radiation. *Int J Radiat Biol.*1996; 69(4):513-21.
- [6] Lonn S, Ahlbom A, Hall P, Feychting M. Mobile phone use and the risk of acoustic neuroma. *Epidemiology.*2004; 15(6):653-9.
- [7] Zeni O, Romano M, Perrotta A, Lioi MB, Barbieri D, d'Ambrosio G, Massa R, Scarfi M.R. Evaluation of genotoxic effects in human peripheral blood leukocytes following an acute in vitro exposure to 900 MHz radio frequency fields. *Bioelectromagnetics* 2005; 26:258-265.
- [8] Osman Fikret Sonmez, Ersan Odaci, Orhan Bas and Suleyman Kaplan. Purkinje cell number decreases in the adult female rat cerebellum following exposure to 900 MHz electromagnetic field. *Brain Research.* 2010. Volume 1356: 95-101.
- [9] Ntzouni MP, Stamatakis A, Stylianopoulou F, Margaritis LH. Short- term memory in mice is affected by mobile phone radiation. *Pathophysiology.*2010: 25.
- [10] Al-Glaib B, Al-Dardfi M, Al-Tuhami A, Elgenaidi A and Dkhil M. A technical report on the effect of electromagnetic radiation from a mobile phone on mice organs. *Libyan J Med.*2007. AOP: 080107:8-9.
- [11] Laila K. Hanafy, Sawsan H, Karam, Anisa Saleh. The adverse effects of mobile phone radiation on some visceral organs. *Research Journal of Medicine and Medical Sciences.* 2010. 5(1):95-99.
- [12] Latifa Ishaq Khayyat. The histopathological effects of an electromagnetic field on the kidney and testis of mice. *Eur Asian Journal of BioSciences.*2011, 5:103-109.
- [13] N Hanafi, F.Eid, A.El-Dahshan. Radiation emitted from mobile phone induces amyloidosis features in some tissues of infant mice. *The Egyptian Journal of Hospital Medicine.*2012. Vol.47:132-144.
- [14] Ingole IV, Ghosh SK. Cell phone radiation and developing tissues in chick embryo: A light microscopic study of kidneys. *J. Anat. Soc. India.*2006, 55(2):19-23.
- [15] Sarah J Kilgallon, Leigh W Simmons. Image content influences men's semen quality. *Biol.Lett.*2005; 1:253-255.
- [16] Ashok Agarwal, Nisarg Desai, Kartikeya Makker, Alex Varghese, Rand Mouradi, Edmund Sabanegh, Rakesh Sharma. Effects of radiofrequency electromagnetic waves (RF-EMW) from cellular phones on human ejaculated semen: an invitro pilot study. *Fertil Steril.*2008:1318-1325.
- [17] Meo SA, Al-Drees A M, Husain S, Khan MM, Imran MB. Effects of mobile phone radiation on serum testosterone in Wistar albino rats. *Saudi Med J.*2010; 30(8):869-73.
- [18] I Fejes, Z.Zavaczki, J.Szollasi, S.Koloszar, J.Daru, L.Kovacs and A.Pal. Is there a relationship between cell phone use and semen quality? *System Biology in Reproductive Medicine.*2005; Vol.51, No.5:385-393.
- [19] Erogul O, Oztas E, Yildirim I, Kir T, Aydur E, Komesli G, Irkilata HC, Irmak MK, Peker AF. Effects of electromagnetic radiation from a cellular phone on human sperm motility: an in vitro study. *Archives of medical research.*2006; 37(7):840-3.
- [20] Wang SM, Wang DW, Peng RY, Gao YB, Yang Y, Hu WH, Chen HY, Zhang YR, Gao Y. Effect of electromagnetic pulse irradiation on structure and function of Leydig cell in mice. *National Journal of Andrology.*2003; 9(5):327-330.
- [21] Srinivas Belur Veerachari, SS Vasan. Mobile phone electromagnetic waves and its effect on human ejaculated semen: An in vitro study. *Int J Infertility Fetal Med.*2012;3(1):15-21.
- [22] Maneesh Mailankot, Anil P Kunnath, Jayalekshmi H, Bhargav Koduru, Rohith Valsalan. Radio frequency electromagnetic radiation (RF-EMR) from GSM (0.9 / 1.8 GHz) mobile phone induces oxidative stress and reduces sperm motility in rats. *Clinics.* June.2009 Vol.64.No.6.
- [23] Ashok Agarwal. Cell phones and male infertility: dissecting the relationship. *Reproductive BioMedicine Online.* 2007; Vol 15.No.3:266-270.
- [24] Belyaev IY, Koch CB, Terenius O, Roxstrom Lindquist K, Malmgren LO, H Sommer W, Salford LG, Persson BR. Exposure of rat brain to 915 MHz GSM microwaves induces changes in gene expression but not double stranded DNA breaks or effects on chromatin conformation. *Bioelectromagnetics.* 2006; 27(4):295-306.
- [25] Ke Yao, YiBo Yu, KaiJun Wang, Juan Ye, DeQiang Lu, Huai Jiang. Absence of effect of power-frequency magnetic fields exposure on mouse embryonic lens development. *Bioelectromagnetics.*2007; 28 (8):628-635.
- [26] Curcio G, Valentini E, Moroni F, Ferrara M, De Gennaro L, Bertini M. Psychomotor performance is not influenced by brief repeated exposures to mobile phones. *Bioelectromagnetics.*2008; 29 (3):237-241.

- [27] Hae - June Lee, Jeong - Ki Pack, Tae - Hong Kim, Nam Kim, Soo - Yong Choi, Jae - Seon Lee, Sung - Ho Kim, Yun - Sil Lee. The lack of histological changes of CDMA cellular phone - based radio frequency on rat testis. *Bioelectromagnetics*.2010; 31 (7):528-534.
- [28] B. Khillare , J.Behari. Effect of amplitude –modulated radiofrequency radiation on reproduction pattern in rats. *Electromagnetic Biology and Medicine*.1998, Vol.17, No.1: Pages 43-55.
- [29] Johnsen S.G. Testicular biopsy score count – A method for registration of spermatogenesis in human testes: normal values and results in 335 hypogonadal males. *Hormone Research*.1970; Vol.1, No.1: Pages 2-25.
- [30] Ozguner M, Koyu A, Cesur G, Ural M, Ozguner F, Gokcimen A, Delibas N. Biological and morphological effects on the reproductive organ of rats after exposure to electromagnetic field. *Saudi Med J*. 2005; 26 (3): 405-10.
- [31] S.Dasdag, M.A.Ketani, Z.Akdag, A.R.Ersay, I.Sari, O.C.Demirtas, M.S.Celik. Whole-body microwave exposure emitted by cellular phones and testicular functions of rats. *Urol Res*. 1999; 27:219-223.
- [32] Pradeep Kumar, Vineeta Shukla. Ultrastructural changes in rat testicular tissue after whole body exposure to electromagnetic radiation emitted from mobile phones. *Journal of International Academic Research for Multidisciplinary*.2014.Vol.2 Issue.1: 518-526.
- [33] Ali H.M.Omer, Mahmoud S, Zakaryia, Ghada A Ishak, Samia A. El Feky, Dalia Mohamed Ali. Electromagnetic waves exposure and the possible associated some organs dysfunction. *El –Minia Med Bull*. 2009; Vol.20, No.1: 446-456.
- [34] Salem Amara, Hafedh Abdelmelek, Catherine Garrel, Pascale Guiraud, Thierry Douki, Jean – Luc Ravanat, Alain Favier, Mohsen Sakly, Khemais Ben Rhouma. Effects of subchronic exposure to static magnetic field on testicular function in rats. *Archives of Medical Research*.2006; Vol.37: 947-952.
- [35] H. Ozlem Nisbet, Cevat Nisbet, Aysegul Akar, Mesut Cevik, M.Onder Karayigit. Effects of exposure to electromagnetic field (1.8/0.9 GHz) on testicular function and structure in growing rats. *Research in Veterinary Science*. 2012; 93:1001-1005.
- [36] Zsolt Forgacs, Zoltan Somosy, Gyorgyi Kubinyi, Jozsef Bakos, Aranka Hudak, Andras Surjan, Gyorgy Thuroczy. Effect of whole – body 1800 MHz GSM – like microwave exposure on testicular steroidogenesis and histology in mice. *Reproductive Toxicology*.2006; 22:111-117.
- [37] Ji Yoon Kim, Hyun Tae Kim, Ki Hak Moon, Hyoun Jin Shin. Long – term exposure of rats to a 2.45 GHz electromagnetic field: Effects on reproductive function. *Journal of Urology*.2007; 48. Issue No. 12:1308-1314.
- [38] Robert E.Anderson, Morgan Berthrong, Louis F.Fajardo. Radiation injury. *Anderson's Pathology*. 10th edition. Volume.1.Missouri. Von Hoffman Press.1996: Page.484-512.

Author Profile



Dr. N Mugunthan has completed his MBBS Degree from TVMC, Tirunelveli, MS Anatomy Degree from Madras Medical College, Chennai and DNB Degree from National Board, Delhi. He is presently working as Associate Professor in the Department of Anatomy, MGMC & RI, Puducherry.



Dr. J Anbalagan has completed his MSc Anatomy Degree from JIPMER, Puducherry and PhD in Anatomy from Mahatma Gandhi Institute of Medical Sciences, Sevagram. He is presently working as Professor in the Department of Anatomy, MGMC & RI, Puducherry.



Dr. S Meenachi has completed her MBBS Degree from MMC, Madurai, DPH Degree from Madras Medical College, Chennai and MPH Degree from NIE (ICMR), Chennai. She is presently working as Deputy Director of Public Health, Department of Public Health, Tamil Nadu.